

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A coil for an electric rotating machine, comprising:  
a conductor configured by bundling a plurality of square strands and stacking the square strands like a coil with Roebel transposition;  
mica tape which is wound a plurality of layers around on surface of the conductor and made up of mica paper and cloth backing material;  
an insulation layer formed with impregnating and curing resin between wound layers of the mica tape; and  
inorganic particles supported with the mica tape using an adhesive comprising a first component having mutual dissolubility with the impregnating resin and a second glue component insoluble in the impregnating resin ~~containing glue insoluble in the impregnated resin as a component.~~

2. (Currently Amended) A coil for an electric rotating machine, comprising:  
a conductor configured by bundling a plurality of square strands and stacking the square strands like a coil with Roebel transposition;  
mica tape which is wound a plurality of layers around an outer surface of the conductor and made up of mica paper and cloth backing material;  
an insulation layer formed by impregnating and curing resin between wound layers of the mica tape; and  
inorganic particles supported with the cloth backing material of the mica tape using an adhesive comprising a first component having mutual dissolubility with the impregnating

resin and a second glue component insoluble in the impregnating resin containing glue  
~~insoluble in the impregnated resin as a component.~~

3. (Currently Amended) The coil for an electric rotating machine according to one of claims 1 and 2, wherein the second glue component contained in the adhesive is a polyvinyl-based polymer.

4. (Currently Amended) The coil for an electric rotating machine according to one of claims 1 and 2, wherein the second glue component contained in the adhesive is 0.5 wt% to 5 wt% with respect to the adhesive.

5. (Currently Amended) The coil for an electric rotating machine according to one of claims 1 and 2, wherein the second glue component contained in the adhesive is a polyvinyl-based polymer, and the polyvinyl-based polymer is 0.5 wt% to 5 wt% with respect to the adhesive.

6. (Original) The coil for an electric rotating machine according to one of claims 1 and 2, wherein the inorganic particles include at least one of aluminum oxide ( $\text{Al}_2\text{O}_3$ ), beryllium oxide ( $\text{BeO}$ ), magnesium oxide ( $\text{MgO}$ ), aluminum nitride ( $\text{AlN}$ ), boron nitride ( $\text{BN}$ ), and silicon carbide ( $\text{SiC}$ ).

7. (Currently Amended) The coil for an electric rotating machine according to one of claims 1 and 2, wherein the second glue component contained in the adhesive is polyvinyl alcohol.

8. (Currently Amended) The coil for an electric rotating machine according to one of claims 1 and 2, wherein the second glue component contained in the adhesive is polyvinyl alcohol, and the polyvinyl alcohol is 0.5 wt% to 5 wt% with respect to the adhesive.

9. (Currently Amended) The coil for an electric rotating machine according to one of claims 1 and 2, wherein the second glue component contained in the adhesive is polyvinyl acetal.

10. (Currently Amended) The coil for an electric rotating machine according to one of claims 1 and 2, wherein the second glue component contained in the adhesive is polyvinyl acetal, and the polyvinyl acetal is 0.5 wt% to 5 wt% with respect to the adhesive.

11. (Currently Amended) The coil for an electric rotating machine according to one of claims 1 and 2, wherein the second glue component contained in the adhesive includes at least one of polyvinyl alcohol and polyvinyl acetal.

12. (Currently Amended) The coil for an electric rotating machine according to one of claims 1 and 2, wherein the second glue component contained in the adhesive includes at least one of polyvinyl alcohol and polyvinyl acetal[[,]] and ~~the glue~~ is 0.5 wt% to 5 wt% with respect to the adhesive.

13. (Currently Amended) Mica tape used for insulating a coil of an electric rotating machine, comprising:

mica paper;

glass cloth backing of the mica paper; and

inorganic particles supported by the glass cloth backing using an adhesive containing a first component having mutual dissolubility with the impregnating resin and a second glue component insoluble in the impregnating resin ~~glue insoluble in the impregnated resin as a component.~~

14. (Currently Amended) The mica tape according to claim 13, wherein the second glue component of the adhesive is a polyvinyl-based polymer, and the inorganic particles are aluminum oxide particles.

15. (Currently Amended) The mica tape according to claim 13, wherein the second glue component of the adhesive is a polyvinyl-based polymer, and the inorganic particles are boron nitride particles.

16. (Currently Amended) A mica sheet used for insulating a coil of an electric rotating machine, comprising:

mica paper;

glass cloth backing of the mica paper; and

inorganic particles supported by the glass cloth backing using an adhesive containing a first component having mutual dissolubility with the impregnating resin and a second glue component insoluble in the impregnating resin ~~glue insoluble in impregnating resin as an indispensable component.~~

17. (Currently Amended) The mica sheet according to claim 16, wherein the second glue component of the adhesive is a polyvinyl-based polymer, and the inorganic particles are aluminum oxide particles.

18. (Currently Amended) The mica sheet according to claim 16, wherein the second glue component of the adhesive is a polyvinyl-based polymer, and the inorganic particles are boron nitride particles.